INVITATION TO BID	PARISH OF EAST BATON ROUGE PURCHASING DIVISION		RESPONSES MUST BE RECEIVED BY: 5/27/2022 11:00 AM CST			
TITLE: RQ4720- NEW 4X2 F EXCAVATOR WIT DITCHING GRAPPLE-G	H BUCKET	RETURN BID TO: PURCHASING DIVISION				
FILE NO: 4720-22 REQ NO: RQ4720 AD DATES: 5/11 & 5/18		Mailing Address: PO Box 1471 Baton Rouge, LA 70821 ***NOTE: U.S. Postal Regular & Expedited Mail do not deliver to physical address; delays may occur due to City-Parish Mailroom processing				
SHIP TO ADDRESS: City of Baton Rouge Public Works Central Garage 333 Chippewa Street Baton Rouge, LA 70805		Contact Regarding Inquiries: Purchasing Analyst Arvin F. Jones Telephone Number: 225-389-3259 x 3267 Email: afjones@brla.gov				
VENDOR NAME		MAILING ADDRESS				
REMIT TO ADDRESS		CITY, STATE, ZIP				
TELEPHONE NO.	FAX NO.	E-MAIL				
FEDERAL TAX ID OR SOCIAL SECURITY NUMBER		TITLE				
AUTHORIZED SIGNATURE (Required)		PRINTED NAME				
1 STATE DELIVERY DAYS MAXIMUM AFTER RECEIPT OF ORDER 2 % discount for payment made within 30 days. Discount for payment made in less than 30 days, or less than 1%, or applicable to an indefinite quantity contract will be accepted but not an award consideration.						

F.O.B.: DESTINATION - PAYMENT TERMS: NET 30

ALL BLANKS ON THIS PAGE SHOULD BE COMPLETED TO AVOID REJECTION OF BID

STATE ENUMERATED ADDENDA RECEIVED (IF ANY)

The signature on this document certifies that proposer has carefully examined the instructions to bidders, terms and specifications applicable to, and made a part of this solicitation. By submission of this document, proposer further certifies that the prices shown are in full compliance with the conditions, terms and specifications of this solicitation. Bid must be signed in the designated space above and by person authorized to sign for bidder

No alterations, changes or additions are allowed on this solicitation, and no additional information, clarifications or other documents are to be included unless specifically required by the specification. Any errors in extensions of prices will be resolved in favor of unit prices submitted.

If services are to be performed in East Baton Rouge City-Parish, evidence of a current occupational license and/or permit issued by the City-Parish shall be supplied by the successful vendor, if applicable.

INSTRUCTIONS TO BIDDERS / TERMS & CONDITIONS - SEALED BIDS

Bidders are urged to promptly review the requirements of this specification and submit questions for resolution as early as possible during the bid period. Questions or concerns must be submitted in writing to the purchasing division during the bid period. Otherwise, this will be construed as acceptance by the bidders that the intent of the specifications is clear and that competitive bids may be obtained as specified herein. Protests with regard to the specification documents will not be considered after bids are opened.

- 1. Read the entire bid, including all terms and conditions and specifications.
- 2. Bids are mailed only as a courtesy. The City Parish does not assume responsibility for failure of bidders to receive bids. Bidders should rely only on advertisements in the local newspaper, and should personally pick up bids and specifications. Full information may be obtained, or any questions answered, by contacting the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802 or by calling (225) 389-3259. The City will not accept fax proposals or proposals sent via e-mail. All faxed or e-mailed proposals shall be rejected and returned.
- 3. The bid number, bidder's name, address and bid opening date should be clearly printed or typed on the outside of the bid envelope. Only one bid will be accepted from each bidder for the same job. Alternates will not be accepted unless specifically requested in the proposal. Submission of more than one bid or alternates not requested may be grounds for rejection of all bids by the bidder.
- 4. The method of delivery of bids is the responsibility of the bidder. All bids must be received by the Purchasing Division on or before the specified bid opening date and time. Late bids will not be considered under any circumstances. The City will not accept fax proposals or proposals sent via e-mail. All faxed or e-mailed proposals shall be rejected and returned
- 5. Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the city has determined the contractor to be in default, the city reserves right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
- 6. The City Parish specifically reserves the right to evaluate bids and award items separately, grouped or on an all or none basis, to accept the bid which is in the best interest of the City parish, and to reject all proposals if that is in the best interest of the City Parish.
- 7. Bids submitted through the www.centralbidding.com on-line bidding site, bids shall be accepted only on proposal forms furnished by the City of Baton Rouge and Parish of East Baton Rouge Purchasing Division. The City Parish will only accept bids from those bidders in whose names the proposal forms and/or specifications were issued. Altered or incomplete proposals, or the use of substitute forms or documents, shall render the bid non-responsive and subject to rejection. The entire proposal package, including the specifications and copies of any addenda issued shall be submitted to the Purchasing Division as the bid.
- 8. All bids must be typed or written in ink. Any erasures, strikeover and/or changes to prices should be initialed by the bidder. Failure to initial may be cause for rejection of the bid as non-responsive.
- 9. All bids must be manually signed by a properly authorized party. Failure to do so shall cause the bid to be rejected as non-responsive.
- 10. Where one or more vendor's exact products or typical workmanship is designated as the level of quality desired or equivalent, the Purchasing Division reserves the right to determine the acceptability of any equivalent offered.
- 11. Detailed factory specifications, illustrative literature and any deviations should be submitted with bid as required by the specifications or on the bid form. Representative samples shall be submitted upon request, if appropriate. Bidders proposing an equivalent brand or model should submit with the bid information (such as illustrations, descriptive literature, and technical data) sufficient for the City to evaluate quality, suitability, and compliance with the specifications in the solicitation.
- 12. Written addenda issued prior to bid opening which modifies the bid shall become a part of the bid, and shall be incorporated within the purchase order and/or contract. Only a written interpretation or correction by Addendum

- shall be binding. Bidders shall not rely upon any interpretation or correction given by any other method. Failure to acknowledge receipt of addenda (if any) shall render the bid non- responsive and subject to rejection.
- 13. For Printing solicitations, artwork, dies and/or molds shall become the property of the City Parish Government and must be returned to the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802, upon completion of the order.
- All applicable chemicals, herbicides, pesticides and hazardous materials must be registered for sale in Louisiana by the Department of Agriculture, State of Louisiana, registered with the EPA and must meet all requirements of Louisiana State Laws. Bidders must submit product label, material safety data sheet and EPA registry number with bid. This information will be required on any subsequent deliveries if there is a change in chemical content or a different product is being supplied. Failure to submit this data may be cause for the bid to be rejected or the contract canceled.
- 15. Delivery of items must be made on time to City Parish final destinations within East Baton Rouge Parish. All freight charges shall be prepaid by vendor. Late deliveries or unsatisfactory performance may be cause to cancel the Purchase Order or contract.
- 16. The State of Louisiana Code of Governmental Ethics places restrictions on awarding contracts or purchase orders to persons who are employed by any agency of the City Parish Government, or any business of which he or his spouse has more than a twenty-five percent (25%) interest. The Code also prescribes other restrictions against conflict of interest and establishes guidelines to assure that appropriate ethical standards are followed. If any question exists regarding potential violation of the Code of Ethics, bidders should contact the Purchasing Division prior to submission of the bid. Any violation of the Code of Ethics shall be grounds for disqualification of bid or cancellation of contract.
- 17. All Prices bid shall remain in effect for a period of at least sixty (60) days. City Parish purchases are excluded from state and local taxes.
- 18. Acceptance of award by vendor, either in writing or by shipment of any article described herein, shall effectuate a contract between City Parish and vendor for the materials described herein, and no additional conditions or amendments shall have any effect unless approved in writing by City Parish.
- 19. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Information pertaining to completed files may be secured by visiting the EBR City Parish Purchasing office during normal working hours.
- 20. The City Parish is an equal opportunity employer, and does not discriminate against anyone on the basis of race, sex, creed, color, religion, national origin, ancestry, reprisal, disability, sexual orientation, marital status or political affiliation.
- 21. In accordance with Louisiana Revised Statutes, a preference may be allowed for equivalent products produced, manufactured or grown in Louisiana and/or firms doing business in the State of Louisiana. Do you claim this preference if allowed? YES ____ NO____. If this preference is claimed, attach substantiating information to the proposal to show the basis for the claim.
- 22. Right To Audit Clause: The Contractor shall permit the authorized representative of the City-Parish to periodically inspect and audit all data and records of the Contractor relating to his performance under this contract.
- 23. Terms and Conditions: This solicitation contains all terms and conditions with respect to the purchase of the goods and/or services specified herein. Submittal of any contrary terms and conditions may cause your bid to be rejected. By signing and submitting a bid, vendor agrees that contrary terms and conditions which may be included in their bid are nullified; and agrees that this contract shall be construed in accordance with this solicitation and governed by the laws of the State of Louisiana as required by Louisiana Law.
- 24. In accordance with the provisions of LA. R.S. 38:2212.9, in awarding contracts after August 15, 2010, any public entity is authorized to reject the lowest bid from, or not award the contract to, a business in which any individual with an ownership interest of five percent or more has been convicted of, or has entered a plea of guilty or **Nolo Contendere** to any state felony crime or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under the laws governing public contracts under the provisions of Chapter

10 of this Title, professional, personal, consulting, and social services procurement under the provisions of Chapter 16 of Title 39 of the Louisiana Revised Statutes of 1950, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39 of the Louisiana Revised Statutes of 1950.

25. Certification of no suspension or debarment. By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the general services administration (GSA) in "Audit Requirements In subpart F of the Office of Management and Budget's uniform administrative requirements, cost principles, and audit requirements for federal awards" (Formerly OMB circular a-133).

A list of parties who have been suspended or debarred can be viewed via the internet at http://www.sam.gov.

- 26. Bid prices shall include delivery of all items F.O.B. destination or as otherwise provided. Bids containing "Payment in Advance" or "C.O.D. requirements may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- 27. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Purchasing Division during normal working hours. Written bid tabulations may be accessed at: http://city.brla.gov/dept/purchase/bidresults.asp.
- 28. Contractor agrees, upon receipt of written notice of a claim of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the city, its agents and employees from and against all claims and actions for bodily injury, death or property damages caused by fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees, however the contractor shall have no obligation as set forth with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the City, its officers, its agents, or its employees.
- 29. In accordance with Louisiana Law (R.S. 12:262.1 and 12:1308.2), all corporations and limited liability companies must be in good standing with the Louisiana Secretary of State at the time of execution of the contract.
- 30. Vendors submitting signed bids agree to EEOC compliance and certify that they agree to adhere to the mandates dictated by Title VI and VII of the Civil Right Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, the Federal Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975, and agrees to abide by the requirements of the Americans with Disabilities Act of 1990.

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

31. The City of Baton Rouge, Parish of East Baton Rouge launched a new Enterprise Resource Planning (ERP) system, Vendor Self Service (VSS) via Munis. VSS replaced the legacy vendor database and will be used by all departments and agencies citywide.

Vendor Self-Service (VSS) enables vendors to register and maintain information about their organization for the purpose of doing business with City-Parish and receive notifications of business opportunities. The City-Parish procurement activities are subject to the State of Louisiana Public Bid Law, local city-parish ordinances as well as applicable federal statutes as directed by grant providers. Vendors must be registered to receive bid notifications.

New vendors or existing vendors who need to create a VSS account can do so clicking the Registration link at https://brla.gov/vss. Vendors are encouraged to review the step by step https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF before beginning the registration process which may be assessed at https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF before beginning the registration-Guide-PDF before beginning the registration-Guide-PDF.

Additional information regarding how to do business with EBR City-Parish is available at: https://www.brla.gov/DocumentCenter/View/678.

We also post our scheduled bid openings, as well as unofficial bid tabulations after the bids have opened at http://city.brla.gov/dept/purchase/bids.asp.

Note: Commodity codes are required for setting up your profile. These numbers tell us what commodities and services that you can provide. When agencies request products or services, our buyers pull directly from these numbers to send out solicitations, bids, and quotes. The first 3 numbers are the class numbers; the subclasses are two digit numbers that better describe the commodity or service. For questions regarding commodity codes, please contact purchasing at (225) 389-3259 Ext 0.

Important! - A W-9 Form is required in order to do business with City-Parish. Part of the online enrollment process requires you to upload a completed W-9 form. Please have the completed form in an electronic format so that you can submit it as part of the registration process. The W-9 form can be downloaded from the IRS website. We have created step by step directions on how to properly complete the W-9 Form.

FEDERAL CLAUSES, IF APPLICABLE.

I. Remedies for Breach

Bidder acknowledges that contracts in excess of the simplified purchase threshold (\$150,000.00) shall contain provisions allowing for administrative, contractual, or legal remedies for contractor breaches of the contract terms, and shall provide for such remedial actions as appropriate.

II. Termination and Settlement

Bidder acknowledges that contracts in excess of \$10,000.00 shall contain termination provisions including the manner in which termination shall be effected and the basis for settlement. In addition, such provisions shall describe conditions for termination due to fault and for termination due to circumstances outside of the contractors' control.

III. Access to Records

Bidder acknowledges that all contracts (except those for less than the small purchase threshold) shall include provisions authorizing the recipient, US Funding Agency, the Comptroller General, or any of their duly authorized representatives access to all books, documents, papers, and records of the contractor which are directly pertinent to a specific program for the purpose of making audits, examinations, excerpts, and transcriptions.

IV. Equal Employment Opportunity

Bidder acknowledges that all contracts shall contain provisions requiring compliance with

E.O. 11246, "Equal Employment Opportunity," as amended by E.O. 11375, "Amending Executive Order 11236 Relating to Equal Employment Opportunity," and as supplemented by regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Dept. of Labor.

V. Copeland "Anti-Kickback" Act

Bidder acknowledges that all construction/repair contracts and sub-grants in excess of \$2,000 shall include provisions requiring compliance with the Copeland "Anti-kickback" Act (18 U.S.C. §3141-3148), which provides that each contractor or sub-recipient shall be prohibited from inducing any person employed in the construction, completion, or repair of public work, to give up any part of the entitled.

VI. Davis-Bacon Act

Bidder acknowledges that all construction contracts in excess of \$2,000 shall include a provision for compliance with the Davis-Bacon Act, which requires contractors to pay laborers and mechanics wages at a rate not less than the minimum wages specified in a wage determination made by the Secretary of Labor. Additionally, contractors shall be required to pay wages not less than once a week.

VII. Contract Work Hours and Safety Standards Act

Bidder acknowledges that all construction contracts in excess of \$2,000, and all other contracts involving the employment of mechanics or laborers in excess of \$2,500 shall include provisions for compliance with sections 102 and 107 of the Contract Work Hours and Safety Standards Act, which requires each contractor to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours. Section 107 is applicable to construction work and provides that no laborer or mechanic shall be required to work in surroundings or under working conditions that are unsanitary, hazardous, or dangerous.

VIII. Rights to Inventions Made Under a Contract or Agreement

Bidder acknowledges that contracts for the performance of experimental, developmental, or research work shall include provisions providing for the rights of the Federal Government and the recipient in any resulting invention in accordance with 37 CFR part 401, "Rights to Inventions Made by Nonprofit Organizations and the Small Business Firms Under Governments Grants, Contracts, and Cooperative Agreements"

IX. Clean Air Act

Bidder acknowledges that the Clean Air Act (CAA) is the comprehensive federal law regulating air emissions from stationary and mobile sources. Among other things, this law authorizes EPA to establish National Ambient Air Quality Standards (NAAQS) to protect public health and public welfare and to regulate emissions of hazardous air pollutants

X. Clean Water Act.

The contractor hereby agrees to adhere to the provisions which require compliance with all applicable Standards, orders, or requirements issued under section 508 of the clean water act which prohibits the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA list of violating facilities

XI. Energy policy and conservation act

The contractor hereby recognizes the mandatory standards and policies relating to energy Efficiency which is contained in the state energy conservation plan issued in compliance with the energy policy and Conservation act (P.L. 94-163).

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

INQUIRY PERIOD

An inquiry period is hereby firmly set for all interested bidders to perform a detailed review of the bid documents and to submit any **written questions** relative thereto. *Without exception*, all questions MUST be in writing.

The City-Parish shall not and cannot permit an open-ended inquiry period, as this creates an unwarranted delay in the procurement cycle and operations of our departments. The City-Parish reasonably expects and requires *responsible and interested* bidders to conduct their in-depth review of the bid document and submit inquiries in a timely manner.

All inquiries shall be received by 5:00p.m. on May 19, 2022. <u>INQUIRIES AND/OR QUESTIONS SHALL</u> NOT BE ENTERTAINED THEREAFTER.

Inquiries are to be directed as follows:

Arvin F. Jones, Senior Purchasing Analyst
City-Parish Purchasing Department
222 St. Louis Street, Room 826 (Hand Delivery)
Baton Rouge, LA 70802
or
P.O.Box 1471
Baton Rouge, LA 70821
or
Emails of innes@byle.gov

Email: afjones@brla.gov or Fax (225) 389-4841

CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE **PURCHASING DIVISION**

Pricing Sheet

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

suitability	y, compatibility and compliance with the specifications.				
ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
0001	NEW 4X2 HYDRAULIC EXCAVATOR WITH BUCKET-DITCHING & GRADING BLADE OPTION. • ALL STANDARD EQUIPMENT, AIR CONDITIONING & RADIO IN BOTH CHASSIS AND UPPERSTRUCTURE CAB, 66" DITCHING BUCKET 2022 OR NEWER GRADALL XL3100 V 4X2 HYDRAULIC EXCAVATOR WITH DITCHING BUCKET AND GRADING BLADE or APPROVED EQUAL. State Brand and Model # Bidding:	1	EA	\$	\$

		1	T	1
0002	Ditching Bucket 80656092 or approved equal • 60" w/Bolt on Cutting • 807 lbs. • Yd 7/8 State Brand and Model # Bidding:	1	EA	\$ \$
0003	• 8" • 630 lbs. State Brand and Model # Bidding:	1	EA	\$ \$

Picture only denotes the general style, type, character and quality standard approved

CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

Specifications:

GENRAL: The intent of this proposal is to establish a price for 2022 OR NEWER GRADALL XL3100 V 4X2 HYDRAULIC EXCAVATOR WITH DITCHING BUCKET AND GRADING BLADE or APPROVED EQUAL. These specifications represent standard requirements for City Parish Public Work Department. Bids are evaluated based on the totality of "Yes" responses. "Yes" response(s) provided by bidders that are found to be incorrect during bid evaluation may result in a determination of bid non-responsiveness.

MINIMUM SPECIFICATIONS: 2022 OR NEWER GRADALL XL3100 V 4X2 HYDRAULIC EXCAVATOR WITH DITCHING BUCKET AND GRADING BLADE or APPROVED EQUAL. As a minimum (any non-compliance must be marked "NO") each		nply eet ications	Specify any Deviation from listed Specification (size, dimensions, color, brand, etc.)	
item shall be equipped with, and all components bid must be compatible and upon installation create a fully functional piece of equipment.	YES	NO		
0001 SPECIFICATIONS BODY:				
CHASSIS CAB:				
Volvo TAD572VE Tier 4f 5.1 L diesel with selective catalytic reduction and cooled EGR technology				
Gross Rating: 215 hp @ 2300 rpm, 660 ft lb torque @ 1200-1700 rpm.				
Net Rating: 198 hp @ 2300 rpm				
Four cycle, inline four cylinder, liquid cooled				
Turbo charge air after-cooled Off-road certified, electronically controlled, grid heater				
Vertical canister style lube and main filters attached to engine				
Volvo remote mount vertical style fuel/water separator with water in fuel indicator, alarm and manual feed				
pump. Block heater				
Air Filter:				
Two-stage Donaldson PSD PowerCore with high efficiency pre-cleaner, vacuator value and remote service indicator				
Electrical System				
24 volt, 110 amp alternator with integral voltage regulator, two SAE #C31-S 1000 CCA batteries				
Fuel Tank Capacity				
100 gal (378 L)				
Urea Tank Capacity				
11.9 gal (45 L)				
Chassis Cooling Package				
Three aluminum bar-plate type coolers stacked vertically				
Air to air intake charge air cooler, radiate and transmission cooler				

All coolers backed by a molded fan shroud. engine	
mounted fan ring and 26.8' 9-blade fan driven by a	
Volvo electronically controlled variable speed fan drive	
Gear Speeds	
Gear 1 2 3 4 5 6 REV MPH 6.5 15.5 22.7 349 46.6 60.0 6.3 Km/hr (10.4) (25.0) (36.5) (56.1) (75.0) (96.6) (10.1)	
Drivelines	
Spicer 1710 Series with "half round" yokes	
Transfer Case	
(6 x 4) Cushman Model 479-1 1:1 ratio. pneumatic	
engage for remote propel	
(6 x 6) Cushman Model 479A-1.1:1 ratio. pneumatic	
engage for remote propel and	
front drive	
Upperstructure Cab	
All-weather cab isolated from frame on rubber mounts	
Tinted safety glass windows	
Skylight	
Acoustical lining	
Four-way adjustable seat	
Dome light	
Filtered air heater and defroster	
AM/FM radio	
Air conditioning	
LED work light package	
Heat source provided by a fast response,	
closed circuit hydraulic heater with 20,000	
BTU/Hr. capacity	
Front window slides to overhead storage	
Mirrors on right and left sides	
Windshield wiper and washer	
Operator's seat belt	
Upperstructure Controls	
Two electronic joysticks (hoist and bucket. telescope	
and swing)	
One rocker switch (tilt) control	
Joysticks mounted on arm pods, adjustable for	
individual operator comfort and convenience	
Quick change joystick pattern switch (Gradall, SAE.	
Deere) located on instrument panel	
Two foot pedals for remote control of undercarriage	
steering	
Travel and digging brakes	
Self-centering joysticks and pedals; when controls are	
released, power for movement disengages and swing	
and travel brakes set automatically	
Engine Controls	
Key ignition switch with neutral start	
Indicator lights for low air. engine status, park brake,	
travel status, hydraulic fluid temperature and level	

Automatic engine shutdown occurs with low oil	
pressure	
Derate/shutdown for oil temperature, coolant	
temperature, coolant level. ERD temperature, charge air	
temperature. charge air pressure and derate for SCR	
temperature	
Boom:	
Two piece triangular telescoping boom	
Adjustable boom rollers with eccentric shafts	
220° boom tilt	
105° boom pivot angle	
Auxiliary hydraulics	
Hydraulic System	
PUMPS	
One load-sensing axial piston pump, 0-77 gpm (0-291	
L/min) total	
One gear pump (pilot and cooling). 11 gpm (41 L/min)	
SYSTEM SPECIFICATIONS Four Double Acting Cy	vlinders
Two hoist cylinders. 3.5" x 2.56" rod x 31" stroke (89	y mucis
mm x 65 mm x 787 mm)	
One tool cylinder 4.25" bore x 3.0° rod x 25.9" stroke	
(108 mm x 76 mm x 658 mm)	
One telescope: 3.5' ID x 2.559° rod x 1V stroke (89	
mm x 65 mm x 3.34 m)	
Three Hydraulic Motors	
Swing. 51 hp (38kW)	
Tilt. 21 hp (16 kW)	
Remote drive, 110 hp (82 kW) total	
Operating Pressures	
•Hoist 4,800 psi (331 BAR)	
•Tilt 2,500 psi (172 BAR)	
•Swing 4,200 psi (290 BAR)	
•Tool 4,800 psi (331 BAR)	
•Telescope 4,800 psi (331BAR)	
•Remote Propel 4,800 psi (311 BAR)	
•Pliot system 550 psi (38 BAR)	
Oil Capacity	
• Reservoir 50 gallons (189 L)	
• System 65 gallons (246 L) • Pressurized reservoir with visual oil level	
gauge	
Filtration System	
• 5 micron return filter with magnet	
• 10 micron pilot filter	
• Fin and tube-type oil cooler with thermostatically	
controlled cooling fan	
• Pressure-compensated, load-sensing valves with	
circuit reliefs in all circuits	
Undercarriage	
4x2 or 4x4	

Wheelbase: 160" (4.06m)	
Transmission	
Allison 3500 RDS 6-speed automatic Frame	
48" (1.2m) wide, welded plate design	
65 ksi material	
Gross Vehicle Axle Weight Rating	
4x2- 41,250 lb (18,711 kg)	
4x4- 44,250 lb (20,071 kg)	
Front Axles	
4 x 2: Meritor Model MFS-16-122A, 16.000 lb (7.257	
kg) rating	
4 x 4 Meritor Model MX19-145, 19,000 lb (8,618 kg)	
rating, 7.17 ratio	
Rear Axle	
Meritor Model RS25-160, 25,250 lb (11,453 kg) rating.	
7.17 ratio	
Single reduction with driver controlled differential lock in front/rear	
Inter-axle differential with lock	
Suspension	
Front: Eight leaf spring with automatic lock-out	
cylinders	
Rear: Solid mount	
Two foot pedals for remote control of undercarriage	
steering, travel and digging brakes	
Joysticks & pedals are self-centering	
Engine Controls: Key ignition switch with neutral start	
and indicator lights for low air, engine status, park	
brake, travel status, hydraulic fluid temperature and	
level.	
Brakes	
4 x 2 Front: Meritor "Q" Series	
-Cam-Master Size: 16.5' x 5' (419 mm x 152 mm)	
-Automatic slack adjusters	
4 x 4 Front: Meritor "Q" Series	
-Cam-Master Size: 16.5" x 6" (419 mm x 127 mm	
-Automatic Slack Adjusters	
Rear Meritor "P" Series	
-Series Cam-Master Size. 16.5" x 7" (419 mm x 178	
mm)	
-Automatic slack adjusters	
Spring brake system incorporates emergency and	
parking brakes on rear axle	
Heated air dryer	
Steering	
Ross, integral hydraulic power steering	

Four-quart power steering reservoir with filter 10 micron pre-filter Wheels Hub piloted disc 10-stud. 11.25" (286 mm) bolt circle Tires 4 x 4 front: 425/65R22.5 LR (L) on/off highway traction tread 4 x 2 front: 385/65R22.5 LR (L) on/off highway traction tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway traction tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway traction tread 5 transland Chassis Equipment LED headlights LED tail lights LED tail lights LED back-up lights and alarm LED back-up lights and lights LED dientification lights front and rear LED directional lights LED dientification lights front and rear LED directional lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dyer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Evel level DEF level Volumeter Tachometer with bour meter	Gear-type power steering pump	
Wheels Hub piloted disc In-stud. 11.25" (286 mm) bolt circle Tires 4 x 4 front: 425/65R22.5 LR (L) on/off highway traction tread 4 x 2 front: 385/65R22.5 LR (H) on/off highway traction tread 4 x 2 front: 385/65R22.5 LR (H) on/off highway traction tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway traction tread 5 xtandard Chassis Equipment LED headlights	Four-quart power steering reservoir with filter	
Hub piloted disc 10-stud. 11.25" (286 mm) bolt circle Tires ***X 4 front: 425/65R22.5 LR (L) on/off highway tread	10 micron pre-filter	
10-stud. 11.25" (286 mm) bolt circle Tires 4 x 4 front: 425/65R22.5 LR (L) on/off highway tread 4 x 2 front: 385/65R22.5 LR (J) on/off highway tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway tread taction tread Standard Chassis Equipment LED headlights LED headlights LED tail lights LED back-up lights and alarm LED back-up lights and rear LED brake lights LED our-way hazard lights LED identification lights front and rear LED directional lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiceant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Solated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fiel level Uolmeter Speedometer with odometer	Wheels	
10-stud. 11.25" (286 mm) bolt circle Tires 4 x 4 front: 425/65R22.5 LR (L) on/off highway tread 4 x 2 front: 385/65R22.5 LR (J) on/off highway tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway tread taction tread Standard Chassis Equipment LED headlights LED headlights LED tail lights LED back-up lights and alarm LED back-up lights and rear LED brake lights LED our-way hazard lights LED identification lights front and rear LED directional lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiceant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Solated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fiel level Uolmeter Speedometer with odometer	Hub piloted disc	
Tires 4 x 4 front: 425/65R22.5 LR (L) on/off highway tread 4 x 2 front: 385/65R22.5 LR (J) on/off highway tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway tread traction tread Standard Chassis Equipment LED headlights LED tail lights LED tail lights LED brake lights LED brake lights LED directional lights front and rear LED directional lights LED offer way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and themostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Accoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level Voltmeter Speedometer with odometer		
traction tread 4 x 2 front: 385/65R22.5 LR (J) on/off highway tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway traction tread Standard Chassis Equipment LED headlights LED badelights LED bake-up lights and alarm LED brake lights LED identification lights front and rear LED directional lights LED four-way hazard lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
4 x 2 front: 385/65R22.5 LR (J) on/off highway tread 4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway traction tread Standard Chassis Equipment LED headlights LED tail lights LED back-up lights and alarm LED brake lights LED directional lights LED washed with a convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DeF level Voltmeter Speedometer with odometer	4 x 4 front: 425/65R22.5 LR (L) on/off highway	
4 x 2 and 4 x 4 rear 11R24.5 LR (H) on/off highway traction tread Standard Chassis Equipment LED headlights LED tail lights LED tail lights LED back-up lights and alarm LED brake lights LED dientification lights front and rear LED directional lights LED directional lights LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fivel level Voltmeter Speedometer with odometer	\ /	
traction tread Standard Chassis Equipment LED headlights LED tail lights LED tail lights LED back-up lights and alarm LED brake lights LED directional lights LED directional lights LED four-way hazard lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level Voltmeter Speedometer with odometer	4 x 2 front: 385/65R22.5 LR (J) on/off highway tread	
Standard Chassis Equipment LED headlights LED tail lights LED back-up lights and alarm LED brake lights LED directional lights LED directional lights LED four-way hazard lights LED four-way hazard lights LED four-way hazard lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level Voltmeter Speedometer with odometer		
LED headlights LED tail lights LED back-up lights and alarm LED brake lights LED didentification lights front and rear LED directional lights LED directional lights LED four-way hazard lights LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
LED tail lights LED back-up lights and alarm LED brake lights LED identification lights front and rear LED directional lights LED four-way hazard lights LED four-way hazard lights LED four-way hazard lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
LED back-up lights and alarm LED brake lights LED identification lights front and rear LED directional lights LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
LED brake lights LED identification lights front and rear LED directional lights LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
LED identification lights LED directional lights LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
LED directional lights LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	_	
LED four-way hazard lights Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	LED identification lights front and rear	
Instrument panel lights Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	LED directional lights	
Windshield wiper/washer West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	LED four-way hazard lights	
West Coast style mirror system with plain and convex mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	Instrument panel lights	
mirrors Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	Windshield wiper/washer	
Front and rear tow hooks Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer	West Coast style mirror system with plain and convex	
Desiccant type air dryer with automatic purge valve and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
and thermostatically controlled heater Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Chassis Cab One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
One-person cab Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Left-hand mount Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Isolated from frame on rubber mounts Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Acoustical lining Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Sun visor Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Air conditioning Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Gauge Clusters Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Oil pressure Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Coolant temperature Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Air tank pressures Fuel level DEF level Voltmeter Speedometer with odometer		
Fuel level DEF level Voltmeter Speedometer with odometer	_	
DEF level Voltmeter Speedometer with odometer	_	
Voltmeter Speedometer with odometer		
Speedometer with odometer	DEF level	
Tachometer with hour meter	Speedometer with odometer	
	Tachometer with hour meter	

Engine and transmission monitor lights	
Engine shutdown controlled by engine electronics	
Indicator lights and controls for front axle	
engagement (4x4 only) and rear axle differential lock	
Park brake control	
Tinted safety glass	
Sliding side windows	
Fresh air heater and defroster	
Dome light	
Air suspension seat with seat belt	
Vent in door	
Swing	
Internal swing gear	
Priority swing circuit with axial piston motor	
Planetary transmission	
Swing Speed: 8.0 rpm	
Swing Brake	
Automatic spring-set/hydraulic release wet disc parking	
brake	
Dynamic braking provided by hydraulic system	
Hydraulic Remote Control	
Upperstructure powered by chassis hydraulics through	
hydraulic motor and transfer case	
Travel and steering pedals in upperstructure cab	
Digging brakes and front axle lockout cylinders set	
automatically with travel pedal in neutral	
Parking brake controlled by toggle	
Electrically operated alarm mounted on undercarriage	
signals remote control movement in either direction,	
reverse movement when driven from undercarriage cab	
Function Forces	
Rated Boom Force: 21,940 lb (97.6kN)	
Rated Bucket Breakout Force: 17,990 lb (80kN)	

DEVIATION NOTES SHOULD BE ATTACHED:

BIDDER'S ORGANIZATION BIDDER IS:

AN INDIVIDUAL

Individual's Name:	
Doing business as:	
Telephone No.:	
A PARTNERSHIP Firm Name:	
Name of person authorized to sign:_	
Title:	
Telephone No.:	Fax No.:
A LIMITED LIABILITY COMPA Company Name:	<u>NY</u>
Address:	
Telephone No.:	Fax No.:
BID.	A CORPORATION THE CORPORATE RESOLUTION SHOULD BE SUBMITTED WITH
Address:	
State of Incorporation:	
Name of person authorized to sign: _	
Title:	
Telephone No.:	

IF BID IS BY A JOINT VENTURE, ALL PARTIES TO THE BID SHOULD COMPLETE THIS FORM.

CORPORATE RESOLUTION

A meeting of the Board of Directors of		a	corporation
organized under the laws of the State of	and	domic	iled in
was held this day of, 20	and was attended by a quort	am of the	members of the
Board of Directors.			
The following resolution was offered, duly s	econded and after discussion w	as unanimo	ously adopted by
said quorum:			
BE IT RESOLVED, that	is	hereby	authorized to
submit proposals and execute agreements or	behalf of this corporation wit	th the City	of Baton Rouge,
and Parish of East Baton Rouge.			
BE IT FURTHER RESOLVED, that said a	authorization and appointment s	hall remain	in full force and
effect, unless revoked by resolution of this	Board of Directors and that sa	aid revocati	on will not take
effect until the Purchasing Director of the Pa	rish of East Baton Rouge, shall	have been	furnished a copy
of said resolution, duly certified.			
I,, hereby certi	fy that I am the Secretary of		
a corporation created under the laws of the St			
that the foregoing is a true and exact copy of			
of said corporation at a meeting legally called			
said resolution appears of record in the Offici			
		·	
,	This day of	, 20	
	SECRETARY		_